

Test Report

REPORT NO: UF/2009/80906A-01 Date : 2009/08/25 頁數 : 1 of 4



Linbos Corporation美商百福
730N Todd Ave. Azusa. CA91702 USA

The following sample(s) was/were submitted and identified by/on behalf of client as:

Type of Product: 凍頂烏龍茶 5-21
Buyer/Order No: 美商百福
Manufacturer/Vendor: 鼎馨茶園
Country of Origin: 台灣南投
Date of Sample Received: 2009/08/24
Date of Testing: 2009/08/25

Test Requested: Determination of the pesticides (organochlorine, organophosphorates, LC 81 pesticides) of submitted sample.

Test Method: With reference to CNS13570-2, R.O.C. ,Method of test for pesticide residues in foods-multi-residue analysis (3) announced by Department of Health Executive Yuan, Taiwan(BFDA NO. 0981800273 & Method of test for pesticide residues in foods-method for multiresidue analysis (4) announced by Department of Health Executive Yuan, Taiwan(BFDA NO. 0981800278). Analysis were performed by GC/MS/MS and LC/MS/MS.

Test Results: The sample is non-detected in 217 pesticides(see appendix).

NOTE : 1.The report is separated for used in vain.
2.The test result over detection limit is summarized in the table. All test items and detection limits are listed in appendix.

- END -

Signed for and on behalf of
SGS Taiwan Ltd.


Enoch Huang
Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

Annendix
REPORT NO:

UF/2009/80906A-01 Date : 2009/08/25

頁數 : 2 of 4



Test items & MDL List : unit : ppm(mg/kg)

NO.	Test Item	CAS NO.	Detection Limit	NO.	Test Item	CAS NO.	Detection Limit
1.	3-keto Carbofuran	16709-30-1	0.01	41.	-Chlordane	5103-71-9	0.005
2.	3-OH carbofuran	16655-82-6	0.01	42.	-Chlordane	5103-74-2	0.003
3.	Acephate	30560-19-1	0.10	43.	Chlorfenapyr	122453-73-0	0.01
4.	Acetamidrid	135410-20-7	0.01	44.	Chlorfluazuron	71422-67-8	0.03
5.	Alachlor	15972-60-8	0.01	45.	Chloropropylate	5836-10-2	0.10
6.	Aldicarb	116-06-3	0.01	46.	Chlorothalonil	1897-45-6	0.005
7.	Aldicarb sulfone	1646-88-4	0.01	47.	Chlorpyrifos	2921-88-2	0.05
8.	Aldicarb sulfoxide	1646-87-3	0.01	48.	Chlorpyrifos-methyl	5598-13-0	0.03
9.	Aldrin	309-00-2	0.005	49.	Chlozolate	84332-86-5	0.01
10.	Allethrin	584-79-2	0.01	50.	Clothianidin	210880-92-5	0.01
11.	alpha-Cypermethrin	67375-30-8	0.05	51.	Cyanofenphos	13067-93-1	0.02
12.	Atrazine	1912-24-9	0.01	52.	Cyazofamid	120116-88-3	0.01
13.	Azinphos-methyl	86-50-0	0.10	53.	Cyfluthrin	68359-37-5	0.05
14.	Azoxystrobin	131860-33-8	0.01	54.	Cyhalothrin	91465-08-6	0.01
15.	Benalaxyl	71626-11-4	0.01	55.	Cypermethrin	52315-07-8	0.05
16.	Bendiocarb	22781-23-3	0.01	56.	Cyproconazole	94361-06-5	0.01
17.	Benfluralin	1861-40-1	0.01	57.	Cyprodinil	121552-61-2	0.01
18.	Benfuracarb	82560-54-1	0.01	58.	o,p'-DDE	3424-82-6	0.03
19.	-BHC	319-84-6	0.003	59.	p,p'-DDD	72-54-8	0.03
20.	-BHC	319-85-7	0.01	60.	p,p'-DDE	72-55-9	0.003
21.	-BHC	319-86-8	0.02	61.	p,p'-DDT	50-29-3	0.01
22.	Bifenoxy	42576-02-3	0.01	62.	Deltamethrin	52918-63-5	0.02
23.	Bifenthrin	82657-04-3	0.03	63.	Demeton-S-methyl	919-86-8	0.03
24.	Bitertanol	55179-31-2	0.05	64.	Diazinon	333-41-5	0.02
25.	Bromophos-ethyl	4824-78-6	0.03	65.	Dichlofluanid	1085-98-9	0.01
26.	Bromophos-methyl	2104-96-3	0.03	66.	Dichlorvos	62-73-7	0.01
27.	Bromopropylate	18181-80-1	0.02	67.	Dicloran	99-30-9	0.01
28.	Bupirimate	41483-43-6	0.03	68.	Dicofol	115-32-2	0.02
29.	Buprofezin	69327-76-0	0.10	69.	Dicrotophos	141-66-2	0.01
30.	Butachlor	23184-66-9	0.01	70.	Dieldrin	60-57-1	0.005
31.	Butocarboxim	34681-10-2	0.01	71.	Difenoconazole	119446-68-3	0.10
32.	Butralin	33629-47-9	0.05	72.	Dimethoate	60-51-5	0.02
33.	Captafol	2425-06-1	0.05	73.	Dimethomorph	110488-70-5	0.01
34.	Captan	133-06-2	0.005	74.	Diniconazole	83657-24-3	0.03
35.	Carbaryl	63-25-2	0.01	75.	Dinitramine	29091-05-2	0.005
36.	Carbendazim	10605-21-7	0.01	76.	Dinotefuran	165252-70-0	0.05
37.	Carbofuran	1563-66-2	0.01	77.	Diphenamid	957-51-7	0.01
38.	普伏	786-19-6	0.02	78.	Disulfoton	298-04-4	0.01
39.	Carbosulfan	55285-14-8	0.01	79.	Ditalimfos	5131-24-8	0.03
40.	Chinomethionat	2439-01-2	0.005	80.	Diuron	330-54-1	0.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

Annendix
REPORT NO:

UF/2009/80906A-01 Date : 2009/08/25

頁數 : 3 of 4



Test items & MDL List : unit : ppm(mg/kg)

NO.	Test Item	CAS NO.	Detection Limit	NO.	Test Item	CAS NO.	Detection Limit
81.	Edifenphos	17109-49-8	0.01	121.	Hexythiazox	78587-05-0	0.05
82.	Endosulfan (alpha)	959-98-8	0.005	122.	Imibenconazole	86598-92-7	0.05
83.	Endosulfan (beta)	33213-65-9	0.005	123.	Imidacloprid	138261-41-3	0.01
84.	Endosulfan sulfate	1031-07-8	0.04	124.	Indoxacarb	144171-61-9	0.01
85.	Endrin	72-20-8	0.005	125.	lprobenfos	26087-47-8	0.03
86.	EPN	2104-64-5	0.01	126.	lprodione	36734-19-7	0.05
87.	Esfenvalerate	66230-04-4	0.02	127.	Isazofos	42509-80-8	0.01
88.	Ethion	563-12-2	0.01	128.	Isofenphos	25311-71-1	0.01
89.	Ethoprophos	13194-48-4	0.01	129.	Isoprocarb	2631-40-5	0.01
90.	Etofenprox	80844-07-1	0.03	130.	Isoprothiolane	50512-35-1	0.02
91.	Etrimfos	38260-54-7	0.05	131.	Isoxathion	18854-01-8	0.02
92.	Fenamiphos	22224-92-6	0.05	132.	Kresoxim-methyl	143390-89-0	0.01
93.	Fenarimol	60168-88-9	0.02	133.	Lindane	58-89-9	0.005
94.	Fenazaquin	120928-09-8	0.01	134.	Linuron	330-55-2	0.01
95.	Fenbuconazole	114369-43-6	0.01	135.	Malathion	121-75-5	0.01
96.	Fenitrothion	122-14-5	0.01	136.	Mecarbam	2595-54-2	0.01
97.	Fenobucarb	3766-81-2	0.01	137.	Mefenacet	73250-68-7	0.01
98.	Fenpropathrin	39515-41-8	0.08	138.	Mephosfolan	950-10-7	0.02
99.	Fenpyroximate	134098-61-6	0.01	139.	Mepronil	55814-41-0	0.01
100.	Fensulfothion	115-90-2	0.05	140.	Metalaxyl	57837-19-1	0.01
101.	Fenthion	55-38-9	0.02	141.	Methacrifos	62610-77-9	0.02
102.	Fenvalerate	51630-58-1	0.03	142.	Methamidophos	10265-92-6	0.02
103.	Fipronil	120068-37-3	0.002	143.	Methidathion	950-37-8	0.02
104.	Flucythrinate	70124-77-5	0.10	144.	Methiocarb	2032-65-7	0.01
105.	Flufenoxuron	101463-69-8	0.01	145.	Methomyl	16752-77-5	0.01
106.	Flusilazole	85509-19-9	0.01	146.	Metolachlor	51218-45-2	0.01
107.	Flutolanil	66332-96-5	0.01	147.	Metolcarb	1129-41-5	0.01
108.	Flutriafol	76674-21-0	0.01	148.	Metribuzin	21087-64-9	0.05
109.	Fluvalinate	102851-06-9	0.10	149.	Mevinphos	7786-34-7	0.02
110.	Folpet	133-07-3	0.04	150.	Mirex	002385-85-5	0.01
111.	Fonofos	944-22-9	0.02	151.	Molinate	2212-67-1	0.01
112.	Formothion	2540-82-1	0.03	152.	Monocrotophos	6923-22-4	0.05
113.	Gallant	69806-40-2	0.01	153.	Myclobutanil	88671-89-0	0.05
114.	Halfenprox	111872-58-3	0.05	154.	Napropamide	15299-99-7	0.01
115.	Heptachlor	76-44-8	0.003	155.	Nuarimol	63284-71-9	0.05
116.	Heptachlor epoxide	1024-57-3	0.005	156.	Omethoate	1113-02-6	0.05
117.	Heptenophos	23560-59-0	0.01	157.	Oxadiazon	19666-30-9	0.01
118.	Hexachlorobenzene	118-74-1	0.02	158.	Oxamyl	23135-22-0	0.01
119.	Hexaconazole	79983-71-4	0.02	159.	Oxycarboxine	5259-88-1	0.01
120.	Hexaflumuron	86479-06-3	0.05	160.	Paclobutrazol	76738-62-0	0.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

Annendix
REPORT NO:

UF/2009/80906A-01 Date : 2009/08/25

頁數 : 4 of 4



Test items & MDL List : unit : ppm(mg/kg)

NO.	Test Item	CAS NO.	Detection Limit	NO.	Test Item	CAS NO.	Detection Limit
161.	Parathion	56-38-2	0.01	190.	Pyrimidifen	105779-78-0	0.08
162.	Parathion-methyl	298-00-0	0.01	191.	Pyriproxyfen	95737-68-1	0.01
163.	Penconazole	66246-88-6	0.02	192.	Pyroquilon	57369-32-1	0.01
164.	Pencycuron	66063-05-6	0.01	193.	Quinalphos	13593-03-8	0.02
165.	Pendimethalin	40487-42-1	0.01	194.	Quintozene	82-68-8	0.02
166.	Permethrin	52645-53-1	0.20	195.	Quizalofop-ethyl	76578-14-8	0.01
167.	Phenthoate	2597-03-7	0.02	196.	Salithion	3811-49-2	0.02
168.	Phorate	298-02-2	0.01	197.	Tebuconazole	107534-96-3	0.01
169.	Phosalone	2310-17-0	0.03	198.	Tebufenozide	107534-96-3	0.01
170.	Phosmet	732-11-6	0.02	199.	Tebufenpyrad	119168-77-3	0.01
171.	Phosphamidon	13171-21-6	0.05	200.	Terbufos	13071-79-9	0.01
172.	Pirimicarb	23103-98-2	0.01	201.	Tetraconazole	112281-77-3	0.01
173.	Pirimiphos-ethyl	23505-41-1	0.01	202.	Tetradifon	116-29-0	0.02
174.	Pirimiphos-methyl	29232-93-7	0.01	203.	Tetramethrin	7696-12-0	0.01
175.	Pretilachlor	51218-49-6	0.05	204.	Thiabendazole	148-79-8	0.01
176.	Prochloraz	67747-09-5	0.03	205.	Thiamethoxam	153719-23-4	0.01
177.	Procymidone	32809-16-8	0.05	206.	Thiobencarb	28249-77-6	0.01
178.	Profenofos	41198-08-7	0.02	207.	Thiodicarb	59669-26-0	0.01
179.	Promecarb	2631-37-0	0.01	208.	Triadimefon	43121-43-3	0.01
180.	Propanil	709-98-8	0.01	209.	Triadimenol	55219-65-3	0.05
181.	Propaphos	7292-16-2	0.01	210.	Triazophos	24017-47-8	0.02
182.	Propiconazole	60207-90-1	0.03	211.	Trichlorfon	52-68-6	0.05
183.	Propoxur	114-26-1	0.01	212.	Trifloxystrobin	141517-21-7	0.01
184.	Prothiofos	34643-46-4	0.01	213.	Triflumizole	99387-89-0	0.01
185.	Pyraclufos	77458-01-6	0.03	214.	Trifluralin	1582-09-8	0.01
186.	Pyrazophos	13457-18-6	0.10	215.	Vamidotion	2275-23-2	0.10
187.	Pyridaben	96489-71-3	0.05	216.	Vinclozolin	50471-44-8	0.005
188.	Pyridaphenthion	119-12-0	0.20	217.	XMC	2655-14-3	0.01
189.	Pyrifenox	88283-41-4	0.03				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.